

## TOYOTA RAV4 (5DOOR) - 2013-201

INC. HYBRID

OUR REF: H0560-HY / HYN0

### PACKAGING REQUIREMENTS.

#### CARGO LINER

- **2x 550mm** 30mm wide self-adhesive loop fastener
- **2x 230mm** 30mm wide self-adhesive loop fastener
- **2x 360mm** 30mm wide self-adhesive loop fastener
- **1 x tabs** self-adhesive loop fastener



*Left: Non Hybrid Rear Plus version*

*Right: Hybrid Standard version*

*Both prepared for additional seat + bumper flaps*

#### LIFTGATE COVER

- **21 x tabs** self-adhesive loop fastener



### VERY IMPORTANT PREPARATION



To ensure the self-adhesive hook & loop fastener sticks to the plastic trim, you **MUST CLEAN** all grime from the plastic and **REMOVE** all **SILICONE** applied during manufacture and detailing.

#### To do this please:

1. Use a silicone remover, such as AutoGlym Intensive Tar Remover and apply generously to the surface you want to adhere to.
2. Using a separate clean & dry cloth, thoroughly dry the surface until the cloth starts to drag. Attach one loop fastener tab to see if it sticks. (Repeat step s1 to 2 if necessary)
3. Attach the hook & loop fastener and let them fully adhere over the next 24 hours for the best bond.



*\*The Hook & loop fastener cannot be used once they have been in contact with silicone. Replacement kits are available on our website.*

Please note not all of the photographs are specific to your vehicle

## STEP 1. PREPARATIONS



The Cargo liner and the vehicle's cargo cover function correctly when the upper parts of the seats are set at a specific rake.

Please ensure your rear seats are set at the following configuration:

Set the Rear Seat Uppers at an angle that allows the cargo cover clips to be fastened.

(Image A)

(Should your model not have a cargo cover, follow the installing instructions BUT leave the "FRONT" stage till last, and use the sides of the Cargo liner as a guide for the seat rake)

The Cargo liner will not suit reclined seats.

(Image B)



### HYBRID VEHICLES ONLY:

Ensure the rear end of the floor is at its lowest level creating a step in the floor. (Image C)



## STEP 2. INSTALLING THE BASE

- Place the Cargo liner into the cargo area with the Hatchbag logo at the seat end. Starting at the liftgate end flatten the base so it fits snugly against the edges. The hook fastener on the back side of the liner attach directly to the carpet. (Image D)
- Hybrid vehicles : position the raised section of the base . The hook fastener on the back side of the liner attach directly to the carpet. (Image E)



### STEP 3. INSTALLING THE FRONT

- - **PLUS / SPLIT VERSION ONLY** - Fasten the hook & loop fastener between the side panels and the seat panel. (Image F)
- Starting with the middle headrest, loop the hook & loop fastener straps around both headrest posts. (Image G). Make sure to hold the front part of the base in position to avoid pull the Cargo liner too far up. Repeat the procedure with the left and right headrests.
- The two hook fastener on the back side of the front panel attach directly to the carpet on the back of the rear seats.



#### REAR PLUS VERSIONS


You **MUST** unfasten the hook & loop fastener and the headrest straps before you recline the upper parts of the rear seats. (Please refer to **REAR PLUS / SPLIT** options on website to see detailed photo)

### STEP 4. INSTALLING THE SIDES



Locate the corresponding cut lengths of self-adhesive loop fastener and attach them to the plastic side panels, just below the joint line, and down the back side. See green highlights on **Image H**. *Snip the loop fastener as you go, to help it follow the curves.*

- On the left side you will also need to trim away for the interior light. (Image I)
- Repeat on opposite side.





## STEP 4. INSTALLING THE SIDES CONTINUED

- Attach the hook fastener on the back side of the Cargo liner on the loop fastener previously




Non hybrid Rear Plus cargo liner prepared for a Bumper flap and a Seat Flap



Hybrid Standard cargo liner prepared for a Bumper flap and a Seat Flap

fixed in place. (Image J, K, L + M)

- If you have sides designed to take hanging nets you will find you cannot add the additional loop fastener under the light. (Image N)
- The bound cut-out in the sides sit over the hooks. (Image O)



## OPTIONAL EXTRAS

*Please note the following photos are non-specific to your vehicle*

### STEP 5A. LIFTGATE COVER

- Line up the liftgate cover with the liftgate and clean the areas where the self-adhesive loop fastener tabs will be stuck. (Image 1)
- Use the self-adhesive loop fastener tabs to attach the cover to the plastic trim.



### STEP 5B. BUMPER FLAP

- Install Caro liner
- Attach the Bumper Flap to the loop fastener strip located at the base of the Cargo liner. (Image 2)
- The Bumper Flap either folds into the vehicle OR can be detached and stored elsewhere when you close the liftgate.



## OPTIONAL EXTRAS page 2

*Please note the following photos are non-specific to your vehicle*

### STEP 5D. FLOOR EXTENSION

The “Floor extension” offers superior protection to the rear seats when purchased in conjunction with a REAR PLUS option.( image 6)

- The Floor extension is designed to attach to a Rear Plus version liner.
- It offers additional protection to the back of the front seats and the extended floor area when the rear seats are folded flat.
- The max width is 148cm (see photo on left).
- It will offer no protection to the rear doors



*The Seat Flap 5A, The Bumper Flap 5C & The Floor Extension 5D cannot be added at a late date*

### STEP 5E. FREQUENT USE INSTALLATION KIT

- If you frequently remove/install your cargo liner from/to your vehicle please note that the carpet may “fluff” up – we have an alternative “Frequent Use Installation Kit” (image 7+8)

The Frequent Use Kit is available to buy from our “on-line” Factory Shop – simply add it to your order from the Factory Shop. These can also be ordered at a later date.

